



HUAY TESTING

Test Report

Report No.: HY260301050002-1

Date: January 13, 2026

Page 1 of 3

Applicant : Jinzhou Yongtai Packaging Co., Ltd.
Address : Dali Fengzhuang Village, Donglizhuang Town, Jinzhou City, Hebei Province

Report on the submitted sample(s) said to be:

Sample Name : PET Laminated Paper Series (PLP)
Model : PLP-PAPER
Additional Model : PLP-BOX, PLP-BOARD
Material : PET
Sample Received Date : January 05, 2026
Testing Period : January 05, 2026 to January 13, 2026
Test Result : Please refer to next page(s).

Test Requested:

1. As specified by the client, with reference to US FDA 21 CFR 177.1630 to determine the chloroform-soluble extractives.

Conclusion

Pass

Approved by: _____

Lab Manager

Bay Liu

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 15 days only. The document is issued by Shenzhen HUAY Testing Co., Ltd., this document cannot be reproduced except in full with our prior written permission.

Shenzhen HUAY Testing Co., Ltd

E-mail: service@huay-test.com

Tel.: 0755-29828166

Web: www.huay-test.com

Add: 406, Building 1, AI Digital Valley, Taoyuan Community, Dalang Street, Longhua District, Shenzhen, Guangdong, China



Test Report

Report No.: HY260301050002-1

Date: January 13, 2026

Page 2 of 3

Test Result:**1. Chloroform-soluble extractives**

Test Method: With reference to US FDA 21 CFR 177.1630

Test Item	Test Condition	Unit	MDL	Limit	Test result
					1
Chloroform-soluble extractives in 50% ethanol	120°F, 24h	mg/in ²	0.05	0.2	N.D.
Chloroform-soluble extractives in water	250°F, 2h	mg/in ²	0.05	0.2	N.D.
Chloroform-soluble extractives in n-heptane	150°F, 2h	mg/in ²	0.05	0.2	N.D.
Conclusion					Pass

Remark:

mg/kg = milligram per kilogram / mg/kg = ppm

%= percentage / 1mg/kg=0.0001%

mg/in²= Milligrams per square inch

N.D.= Not Detected (less than method detection limit)

MDL=Method Detection Limit.

Test Point Description

Test point	Test point description
1	Silver plastic film (PET)

**** Modified History ****

Report No.	Description	Issued Date	Remark
HY260301050002-1	Initial Test Report Release	January 13, 2026	Bay Liu

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 15 days only. The document is issued by Shenzhen HUAY Testing Co.,Ltd., this document cannot be reproduced except in full with our prior written permission.

Shenzhen HUAY Testing Co.,LtdE-mail: service@huay-test.com

Tel.: 0755-29828166

Web: www.huay-test.com

Add: 406, Building 1, AI Digital Valley, Taoyuan Community, Dalang Street, Longhua District, Shenzhen, Guangdong, China



HUAY TESTING



Test Report

Report No.: HY260301050002-1

Date: January 13, 2026

Page 3 of 3

The photo of the sample



Remark:

- 1: The samples and sample information are provided by the applicant. The applicant is responsible for their authenticity. HUAY has not verified their authenticity.
- 2: The test results of this report are only valid for the tested samples.
- 3: Without the consent of HUAY, no part of this report may be reproduced in any form.

***** End of Report *****

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 15 days only. The document is issued by Shenzhen HUAY Testing Co.,Ltd., this document cannot be reproduced except in full with our prior written permission.

Shenzhen HUAY Testing Co.,Ltd

E-mail: service@huay-test.com

Tel.: 0755-29828166

Web: www.huay-test.com

Add: 406, Building 1, AI Digital Valley, Taoyuan Community, Dalang Street, Longhua District, Shenzhen, Guangdong, China